

	Type	Hits	Search Text	DBs
67	BRS	2721	b60c015/06	EPO; JPO; DERWENT
68	BRS	319	b60c015/06 and (rubber near layer)	EPO; JPO; DERWENT
69	BRS	312	(b60c015/06 and (rubber near layer)) not (((b60c015/06 and chafer) and (steel or metal or metallic or wire)) and rubber)	EPO; JPO; DERWENT
70	BRS	2292	b60c015/00	EPO; JPO; DERWENT
71	BRS	2721	b60c015/06	EPO; JPO; DERWENT
72	BRS	15612	b60c015/00 or "243"	EPO; JPO; DERWENT
73	BRS	4049	b60c015/00 or b60c015/06	EPO; JPO; DERWENT
74	BRS	1048	(b60c015/00 or b60c015/06) and (steel or metal or metallic or wire)	EPO; JPO; DERWENT
75	BRS	762	((b60c015/00 or b60c015/06) and (steel or metal or metallic or wire)) and rubber	EPO; JPO; DERWENT
76	BRS	690	((b60c015/00 or b60c015/06) and (steel or metal or metallic or wire)) and rubber) not ((b60c015/06 and (rubber near layer)) not (((b60c015/06 and chafer) and (steel or metal or metallic or wire)) and rubber))	EPO; JPO; DERWENT
77	BRS	334	301/36.1	USPAT
78	BRS	10	301/36.1 and dual near tire	USPAT
79	BRS	185	152/220	USPAT
80	BRS	20	b60c011/22	EPO; JPO; DERWENT
81	BRS	6238	(tire or tyre) and tensile	USPAT
82	BRS	4477	((tire or tyre) and tensile) and method	USPAT
83	BRS	78468	156/\$.ccls.	USPAT
84	BRS	507	((((tire or tyre) and tensile) and method) and 156/\$.ccls.	USPAT
85	BRS	145	(((((tire or tyre) and tensile) and method) and 156/\$.ccls.) and (tensile same (load or force))	USPAT
86	BRS	5568	(tire or tyre) and cord	USPAT

	Type	Hits	Search Text	DBs
87	BRS	623	57/902	USPAT
88	BRS	411	57/902 and (steel or metal or metallic)	USPAT
89	BRS	4502	(tire or tyre) and cord and (steel or metal or metallic)	EPO; JPO; DERWENT
90	BRS	285	((tire or tyre) and cord and (steel or metal or metallic)) and spac\$3	EPO; JPO; DERWENT
91	BRS	26	"5080851"	USPAT
92	BRS	4	"4695344"	USPAT
93	BRS	22	"4738096"	USPAT
94	BRS	26	"4399853"	USPAT
95	BRS	4457	(tension or tensile) and (tire or tyre)	EPO; JPO; DERWENT
96	BRS	552	((tension or tensile) and (tire or tyre)) and (steel or metal or metallic) and cord	EPO; JPO; DERWENT
97	BRS	879	tsukagoshi	USPAT
98	BRS	54	tsukagoshi and tire	USPAT
99	BRS	0	"60622874"	USPAT
100	BRS	1	"6062284"	USPAT
101	BRS	78468	156/\$.ccls.	USPAT
102	BRS	693	156/\$.ccls. and tire and (metal or metallic or steel) and cord	USPAT
103	BRS	373	(156/\$.ccls. and tire and (metal or metallic or steel) and cord) and (tensile or tension)	USPAT
104	BRS	2	(high adj elongation) and (steel or metal or metallic) and motorcycle	EPO; JPO; DERWENT
105	BRS	386	(high adj elongation) and (steel or metal or metallic)	EPO; JPO; DERWENT
106	BRS	12	((high adj elongation) and (steel or metal or metallic)) and (cicrumferential or zero or parallel)	EPO; JPO; DERWENT
107	BRS	2806	high adj elongation	USPAT
108	BRS	1957	(high adj elongation) and (steel or metal or metallic)	USPAT

	Type	Hits	Search Text	DBs
109	BRS	1592	((high adj elongation) and (steel or metal or metallic)) and (tensile or tension)	USPAT
110	BRS	0	((high adj elongation) and (steel or metal or metallic)) and (tensile or tension)) and tirw and cord	USPAT
111	BRS	139239 9	e	USPAT
112	BRS	108	((high adj elongation) and (steel or metal or metallic)) and (tensile or tension)) and tire and cord	USPAT
113	BRS	1	"6374889"	USPAT